
# GEO. SHEARD FABRICS

## Performance with Style



# GEO. SHEARD FABRICS

## Performance with Style

## FREQUENCY

SPECIFICATIONS			PERFORMANCE	
Style	60262	Α	Abrasion Resistance ASTM D4157	50,000+ Double Rubs
Contents	65% REPREVE® Post Consumer Rec. Polyester 35% Polyester	X	Pilling Resistance ASTM D3511	Class 5
			Seam Slippage ASTM D4034	Warp: 79 lbs Fill: 65 lbs
Weight	10 oz./lin.yd.		Breaking Force ASTM D5034-09	Warp: 172 lbs Fill: 253 lbs
Width	54"	₩	Colorfastness to Light AATCC 16.3	L5 Min. 40 hours
Backing	Nvirosoft™ Eco-friendly backing		Colorfastness to Crocking AATCC 8	Class 5 - dry Class 5 - wet
Finish	GreenShield <sup>®</sup> Stain Repellent		State of California Technical Bulletin 117: June 2013	Pass
			Fabrics are resistant to bleach, peroxide and dis-infectant based cleaners	Cleanable with a 10% Bleach solution

#### **SUSTAINABILITY**

## This fabric contains post-consumer recycled polyester

The Greenleaf logo is a trademark of Geo. Sheard Fabrics and designates fabrics containing postconsumer recycled polyester made from recycled plastic bottles which are diverted from landfills.

REPREVE® is the leading brand of recycled performance yarns and contains plastic derived from bottles.

Nvirosoft<sup>™</sup> is an environment-friendly acrylic backing which is free of all Prop 65 chemicals at the source. It combines high performance with a soft and supple finish for comfort and ease of upholstery.

GreenShield<sup>®</sup> is a stain repellent recognized for its environmental properties. It contains no PFOA and PFOS and is Prop 65 compliant. It provides excellent oil and water repellency while reducing the impact on the environment.



#### FQ203 Ochre

# **ESSENTIALS GREEN**

# GEO. SHEARD FABRICS

## Performance with Style

## FREQUENCY



#### FQ302 Strawberry

#### NOTE

Colors as they appear on this specification sheet may be slightly different than the actual fabrics. Please request fabric samples to obtain a more accurate rendition of colors.